



FAQ REGARDING THE COST OF ALLERGEN IMMUNOTHERAPY

The decision to begin allergen immunotherapy (or allergy shots) will be based on several factors:

- Severity of symptoms
- How well medications and avoidance of allergens control allergy symptoms
- Desire to avoid long-term medication use
- Time. Immunotherapy will require a weekly time commitment during the build-up phase and a less frequent commitment during the maintenance phase.
- Costs may vary depending on region and insurance coverage. Yet, allergy shots can be a cost-effective approach to managing allergy symptoms.

Depending on how many and the types of antigens or allergens (substances to which you are allergic), your provider will determine the number of mixes needed. When we mix your antigen, we will make enough for *one year*. Depending on your faithfulness to the schedule, we may have to make more antigens if you require an extended build-up phase.

Estimated costs of the antigen mixes:

- **One mix** could be up to \$1,485.00
- **Two mixes** could be up to \$2,970.00
- **Three mixes** could be up to \$4,455.00

These numbers vary for each patient and from year to year and reflect the maximum. The subsequent years of a typical AIT program may cost less.

The estimated cost of injections:

- **One injection** (for one mix) is \$25.00 each time you or your child receives an injection.
- **Two or more injections** (for two or more mixes) are \$29.00 each time you or your child receive injections.

NOTE: Northwest Asthma and Allergy Center reserves the right to alter or change any of the above fees/charges at any time.

You are encouraged to discuss the cost of an AIT program with your insurance plan. While we may charge your plan the above amounts, the price may be less. Other factors include whether you have co-insurance and your plan's deductible (what you have agreed to pay out-of-pocket before benefits start). After we bill your plan, your insurance will send you an Explanation of Benefits to let you know your responsibility. They will also inform us, and we will send you the bill.

To assist you in speaking with your insurance plan about possible adjustments to our costs above, the following are the codes we use when billing your plan:

95165 – Antigen mix/unit

95115 – One injection

95117 – Two or more injections



NORTHWEST ASTHMA & ALLERGY CENTER

We understand that allergen immunotherapy can be costly. To help, we do offer payment plans. However, *the previous year's antigen mix must be paid in full to renew your antigen.* Contact Patient Accounts Dept. for additional billing questions at (425) 367-6075.

- ❖ If you wish to proceed with immunotherapy, please review and **complete the gray box portions** of the consent. **We need the entire consent returned** before we can process your antigen.
- ❖ Please return the signed consent using one of the following methods:
 - 1) drop-off during our office hours
 - 2) mail or fax the clinic location at which you are seen
 - 3) via AthenaHealth Portal if you have established access. Attach a PDF of your signed consent to your message to your provider. Please select "Medical Question" in the Subject heading. Please type the clinic location where you prefer to receive your allergy shots.
 - 4) Email completed forms to forms@nwasthma.com. Please be sure to state on the **subject line** the LOCATION you have been or are going to be seen & the legal FIRST & LAST NAME of the patient. Please save the forms as a **PDF file** & send them as an attachment. Photos are illegible. If you have received an email confirmation of receipt, please also call us and let us know that you have sent the form.
- ❖ It can take *up to four weeks* for our lab to complete your custom mixes. When they are ready and in the clinic, we will call, text, and email you with instructions to contact us to make your first shot appointment. Once your mixes have been made, you are responsible for the cost.

Everett

10333 19th Ave SE
Suite 105
Everett, WA 98208
(425) 385-2802
Fax (425) 337-7967

Issaquah

22605 SE 56th St
Suite 270
Issaquah, WA 98029
(425) 395-0175
Fax (425) 395-0176

Redmond

8301 161st Ave NE
Suite 308
Redmond, WA 98052
(425) 885-0261
Fax (425) 883-8474

Renton

1412 SW 43rd St
Suite 210
Renton, WA 98057
(425) 235-1716
Fax (425) 277-5479

Pasco

9521 Sandifur Parkway
Suite 201
Pasco, WA 99301
(509) 946-0189
Fax (509) 946-0264

Seattle

9725 Third Ave NE
Suite 500
Seattle, WA 98115
(206) 527-1200
Fax (206) 523-0724



VENOM IMMUNOTHERAPY (VIT) CONSENT

1. I understand that allergy injections/shots are a treatment to reduce allergies and prevent life-threatening reactions to insect stings gradually. Receiving increasing amounts of venom allergens (from wasps, yellow jackets, bees, and hornets) to which I am/my child is allergic helps make my/my child's immune system become less sensitive (desensitized) to them and decreases my/my child's allergy symptoms over time.
2. I understand that allergy injection(s) are given once to twice per week beneath the skin of the upper arm. Once the maintenance dose is achieved after several months of injection(s), the frequency of injection(s) may be decreased to once a month. After the first year of treatment, injections may be given every 4-6 weeks and then every 6-8 weeks. The total duration of venom immunotherapy depends upon the clinical history. I understand that I/my child will need periodic assessments with the allergist to determine if this therapy should be continued or altered.
3. I understand that venom immunotherapy does not take the place of avoidance of insect stings to which I am /my child is known to be sensitized/allergic. I/my child will still always need to carry an epinephrine autoinjector. I understand that there is no guarantee that this therapy will result in a cure or complete resolution of my symptoms. I recognize that I/my child may still need to take allergy medications.
4. I understand that this procedure is generally safe but that certain risks accompany any treatment. Local reactions are common. General (systemic) reactions are less common but can be severe and even fatal. Risks associated with allergy injection(s) include but may not be limited to:
 - pain or discomfort from the injection
 - local reaction (swelling, itching, tenderness at injection site)
 - generalized reaction (itchy eyes, nose, or throat, sneezing, runny/stuffy nose, tightness in throat or chest, coughing, wheezing, lightheadedness, flushing, difficulty swallowing, sudden nausea, vomiting/diarrhea, hives/swelling)

** Any of the above symptoms may occur after the first or even after a series of injections. They may also appear immediately or be delayed (several hours after receipt of an allergy shot.)

 - failure to obtain the desired effect
 - need for additional therapy
5. I understand that allergy injection(s) should **only** be administered in a medical facility where a Physician, Physician's Assistant, or Nurse Practitioner is present and immediately available to treat any possible adverse reaction. **I understand that I / my child need(s) to remain in a medical setting for thirty (30) minutes after the injection(s).**

While treatment for a reaction during the waiting period is administered in the office, a severe reaction may require transport to an emergency room for further treatment. Monitoring prolonged or delayed symptoms may also necessitate transfer to an emergency room.

6. For children younger than 16 years of age, a parent/legal guardian or authorized adult (*Consent to Treat a Minor* form has been signed) must accompany the child. For minors between 16 and 18 years of age, a parent/legal guardian must complete the *Consent to Treat a Minor* form so that the child may come unaccompanied for allergy shots.
7. I understand that ACE inhibitors **may increase the chance of a systemic reaction to venom immunotherapy** and that beta-blockers and ACE inhibitors **may increase the chance that such a reaction is more difficult to treat.** However, according to the Practice Parameters on Anaphylaxis (2015), written by an expert panel of allergists, the *benefits* of venom immunotherapy clearly *outweigh* the potential risks associated with beta-blockers or ACE inhibitors in those patients with anaphylaxis to stinging insects.

Patient/Guardian initials _____



NORTHWEST ASTHMA & ALLERGY CENTER

Beta-blockers commonly treat high blood pressure, arrhythmias (abnormal heartbeats), glaucoma (elevated eye pressure), migraine headaches, tremors, panic attacks, and thyroid disease.

ACE inhibitors commonly treat high blood pressure and congestive heart failure and provide kidney benefits in certain diseases.

If taking either medication, I have discussed with my prescribing physician the beta-blocker and/or ACE inhibitor about alternative medications. If I am/my child **is not** currently taking a beta-blocker or ACE inhibitor medication, I agree to notify NW Asthma & Allergy Center if such a medication is prescribed to me/my child.

Patient/Guardians initials _____ and check off the appropriate box(es).

I acknowledge that I am **not**/my child is **not** OR I am/my child is presently taking a beta-blocker medication (see examples below).

I acknowledge that I am **not**/my child is **not** OR I am/my child is presently taking an ACE inhibitor medication.

<p>EXAMPLES</p> <p>Beta-Adrenergic Blockers</p> <ul style="list-style-type: none"> • acebutolol hydrochloride (<i>Sectral</i>) • atenolol (<i>Tenormin</i>) • betaxolol hydrochloride (<i>Kerlone</i>) • bisoprolol fumarate (<i>Zebeta, Ziac</i>) • esmolol hydrochloride (<i>Brevibloc</i>) • metoprolol (<i>Lopressor, Toprol XL</i>) • penbutolol sulfate (<i>Levator</i>) • nadolol (<i>Corgard</i>) • nebivolol (<i>Bystolic</i>) • propranolol (<i>Inderal, InnoPran</i>) • timolol maleate (<i>Biocadren</i>) • sotalol hydrochloride (<i>Betapace, Sorine</i>) <p>Alpha/Beta-Adrenergic Blockers</p> <ul style="list-style-type: none"> • carvedilol (<i>Coreg</i>) • labetalol hydrochloride (<i>Trandate, Normodyne</i>) 	<p>Combination Products</p> <ul style="list-style-type: none"> • <i>Corzide</i> (nadolol) • <i>Dutoprol</i> (metoprolol) • <i>Inderide</i> (propranolol) • <i>Lopressor</i> (metoprolol) • <i>Tenoretic</i> (atenolol) • <i>Timolide</i> (timolol) • <i>Ziac</i> (bisoprolol) <p>Eye Drops</p> <ul style="list-style-type: none"> • betaxolol (<i>Betoptic</i>) • carteolol (<i>Octupress</i>) • levobunolol (<i>Betagan</i>) • metipranolol (<i>OptiPranolol</i>) • timolol (<i>Betimol, Timoptic</i>)
<p>EXAMPLES</p> <p>ACE inhibitors</p> <ul style="list-style-type: none"> • benazepril (<i>Lotensin, Lotensin Hct</i>) • captopril (<i>Capoten</i>) • enalapril (<i>Vasotec</i>) • fosinopril (<i>Monopril</i>) • lisinopril (<i>Prinivil, Zestril</i>) • moexipril (<i>Univasc</i>) • perindopril (<i>Aceon</i>) • quinapril (<i>Accupril</i>) • ramipril (<i>Altace</i>) • trandolapril (<i>Mavik</i>) 	<p>Combination Products</p> <ul style="list-style-type: none"> • <i>Accuretic</i> (quinapril) • <i>Amblobenz</i> (benazepril) • <i>Capozide</i> (captopril) • <i>Lexxel</i> (enalapril) • <i>Lotensin</i> (benazepril) • <i>Lotrel</i> (benazepril) • <i>Monopril</i> (fosinopril) • <i>Prestalia</i> (perindopril) • <i>Prinzide</i> (lisinopril) • <i>Quinaretic</i> (quinapril) • <i>Uniretic</i> (moexipril) • <i>Tarka</i> (trandolapril) • <i>Vaseretic</i> (enalapril) • <i>Zestoretic</i> (lisinopril)



NORTHWEST ASTHMA & ALLERGY CENTER

8. Additional risks apply to me/my child in receiving allergy injections because of the presence of the following medical condition(s):

Patient/Guardians initials _____ and check off the appropriate box(es).	
<input type="checkbox"/>	Heart condition: Heart disease, irregular heart rhythms, and other heart conditions
<input type="checkbox"/>	Seizure disorder
<input type="checkbox"/>	No heart condition or seizure disorder

These conditions carry a greater risk of decreased oxygen level and a drop in blood pressure during a systemic allergic reaction. Treatment with epinephrine used for severe allergic reactions may also result in irregular heart rhythms and poor outcomes. I understand that the physicians at Northwest Asthma & Allergy Center, in accordance with Practice Parameters outlined by expert allergists, consider these relative contraindications for allergen immunotherapy.

- 9. I understand that yearly refills require my signed consent.
- 10. I have had the opportunity to contact my insurance carrier to determine my/my child's coverage for allergen immunotherapy. **Billing codes for the insurance company include venom mix: CPT 95145 – 95149 & injection codes CPT 95115 – 1 injection; CPT 95117 – 2 or more injections**
- 11. I understand that I/my child may incur a fee for medical provider review if the time since the last injection is beyond the protocol.

Contact Patient Accounts Dept. for additional billing questions at (425) 367-6075. Signed consent forms can be emailed as PDFs to forms@nwasthma.com

I have read and understand the information presented in this consent form, including the purpose of venom allergen immunotherapy, its potential risks, and alternatives to this treatment. I have had the opportunity to ask questions, which have been answered to my satisfaction. I understand there is a potential risk in taking beta-blocker and/or ACE inhibitor drugs while on immunotherapy.

I understand that venom immunotherapy is given at specific intervals over an extended period, and I consent to and authorize this course of treatment for me/my child. I authorize Northwest Asthma & Allergy Center to prepare the appropriate venom extracts for my/my child's injection therapy. In signing this consent, I accept full responsibility for the cost of the venom extracts and injection fees for me / my child.

I agree that I/my child will remain in the doctor's office for 30 minutes after each shot is administered. I further consent to the performance of additional procedures as indicated or considered necessary in treating physician's judgment to treat any reactions to the allergy injection(s).

_____ Patient's Name	_____ Date of Birth
_____ Patient Signature	_____ Date
_____ Responsible Party/Guarantor Printed Name	<input type="checkbox"/> same as above
_____ Responsible Party/Guarantor Signature	_____ Relationship to Patient
_____ Healthcare Provider's Signature	_____ Date